

WAYNE PERRY, INC.

Environmental Remediation, Construction and Consulting

October 15, 2005

California Regional Water Quality Control Board Los Angeles Region 320 West 4th Street, Suite 200 Los Angeles, California 90013 Attention: Information Technology Unit

SUBJECT: THIRD QUARTER 2005 MONITORING REPORT

SHELL SERVICE STATION

23387 PACIFIC COAST HIGHWAY (at Cross Creek Road)

MALIBU, CALIFORNIA

ORDER NO. R4-2002-0198, CI-8513

WPI PROJECT NO. 02.313GW

On behalf of Equilon Enterprises LLC dba Shell Oil Products US (Shell), Wayne Perry, Inc. has prepared this report for the Shell Service Station located at 23387 Pacific Coast Highway in Malibu, California (Figure 1). All analyses were conducted at a laboratory certified for such analyses by the California Department of Health Services, and in accordance with current USEPA guideline procedures or as specified in this Monitoring Program.

GROUNDWATER MONITORING PROGRAM

On July 11, 2005, Blaine Tech Services, Inc. of San Jose, California gauged and sampled Wells MW-3, MW-5, and MW-6. Groundwater gauging, elevation, and analytical data are in Table 1. Groundwater elevation data and contours are shown on Figure 2. Copies of the Blaine Tech Services, Inc. field sheets and Calscience Environmental Laboratories, Inc. report are in Appendix A. Based on the July 11, 2005 groundwater gauging data from Wells MW-3 and MW-5, and the approximate depth of the leach field (6.5 feet), the vertical separation from the bottom of the leach field to groundwater is approximately 4 to 6 feet.

8281 Commonwealth Ave.

Buena Park, California 90621

Phone (714) 826-0352

Sent via: FedEx

October 15, 2005 Shell Service Station 23387 Pacific Coast Highway, Malibu Page 2

EFFLUENT DISCHARGE MONITORING PROGRAM

System operation, maintenance, and effluent sampling were performed by Environmental Planning & Design, LLC (EPD) of San Pedro, California. The EPD report is in Appendix B.

WARRANTY STATEMENT

This report has been prepared by Wayne Perry, Inc. for the exclusive use of Shell as it pertains to the Shell Service Station located at 23387 Pacific Coast Highway in Malibu, California. Our professional services have been performed using that degree of care and skill ordinarily exercised under similar circumstances by other geologists, hydrogeologists, and engineers practicing in this field. No other warranty, express or implied, is made as to the professional advice in this report.

Groundwater gauging and sampling activities were performed by Blaine Tech Services, Inc. System operation, maintenance, and effluent sampling were performed by EPD. WPI accepts no responsibility as to the accuracy of the Blaine Tech Services, Inc. and EPD data.

If you have any questions, please contact Ms. Feryal Sarrafian of Shell at (310) 816-2216 or the undersigned at (714) 826-0352. If you have any questions regarding the Blaine Tech Services, Inc. data, please contact Mr. Francis Thei at (408) 573-0555. If you have any questions regarding the EPD data, please contact Mr. Kevin Poffenbarger at (310) 241-6565 ext. 245.

CERTIFICATION STATEMENT

I certify under penalty of law that this document, including all attachments and supplemental information, was prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of a fine and imprisonment.

Executed on the 15 day of October 2005 at 12:40pm

Signature: Ondrew Har

Andrew J. Hart, P.E. Senior Engineer

Wayne Perry, Inc.

October 15, 2005 Shell Service Station 23387 Pacific Coast Highway, Malibu Page 3

Attachments: Table 1, Groundwater Data

Figure 1, Site Location Map

Figure 2, Groundwater Elevation Contour Map

Appendix A, Blaine Tech Services, Inc. Field Sheets and Calscience

Environmental Laboratories, Inc. Report

Appendix B, EPD Report

cc: Ms. Feryal Sarrafian, Shell





TABLE 1 GROUNDWATER DATA SHELL SERVICE STATION 23387 Pacific Coast Highway, Malibu

| COMMENTS | | | |
|---|--|---|---|
| E se ORGANIC SULFATE CHLORIDE BORON COMMENTS. SEN NITROGEN (mg/L) (mg/L) (mg/L) | 0,414 | 0.452 | 0.374 |
| CHLORIDE (mg/L) | 130 | 140 | 240 |
| SULEATE (mg/L) | 380 | 420 | 240 |
| ORGA TTRO (mg/ | ND<0.50 | ND<0.50 | ND<0.50 |
| | ND<0.10 | ND<0.10 | ND<0.10 |
| donia 25 mitrate 25 nutrit rocem nitrogen nitro mgl.) (mgl.) (mgl.) | ND<0.10 | 1.7 | 27 |
| 8.5 | 0.14 | ND<0.10 | . 0.63 |
| ROCOCCUS TDS AM PIV100mL) (mgL) | 1200 | 1200 | 1300 |
| ENTEROCOCCUS TDS A (MFN/100mL) (mgL) | Ξ | 4.1.1 | 7 |
| TAL FORM 100mC) | ₩. | >23.0 | >23.0 |
| WELL DATE DEPTH GWELEV WELL FECAL TO TO GW ELEV DEFTH COLIFORM COLL (Red) (Red) (Red) (Red) (Red) | (ft): 17.21 <1.1 | (n): 15.45 6.9 | (ft): 12.36 1.1 |
| WELEV WELL of relative DEPTH to MSL) (feet) | Top of casing elevation (ft): 17.21 6.40 33.62 <1.1 | Top of casing elevation (ft): 15.45 6.46 29.84 6.9 | Top of casing elevation (ft): 12.36 6.32 23.86 1.1 |
| GW ELEV. (feet relative to MSL) | Top of cs 6.40 | Top of cs 6.46 | Top of cs 6.32 |
| DEFTH GY TO GW (fee | 10.81 | 8.99 | 6.04 |
| Well date d | 07/11/05 | 07/11/05 | 07/11/05 |
| WELL DATE D | MW-3 | MW-5 | MW-6 |

- mean sea level - most probable number - milligrams per liter - total dissolved solids - not detected

Notes: MSL MPN mL mg/L TDS





REPRODUCED WITH PERMISSION GRANTED BY THOMAS BROS. MAPS . IT IS UNLAWFUL TO COPY OR REPRODUCE ALL OR ANY PART THEREOF, WHETHER FOR PERSONAL USE OR RESALE, WITHOUT PERMISSION. ®





DATE

SITE LOCATION MAP

FIGURE NO.

REVISED


CAD FILE

02313LM

2

SHELL SERVICE STATION 23387 PACIFIC COAST HIGHWAY MALIBU, CA

PROJECT NO. 02.313GW



APPENDIX A

BLAINE TECH SERVICES, INC. FIELD SHEETS AND CALSCIENCE ENVIRONMENTAL LABORATORIES, INC. REPORT

WELL GAUGING DATA

| Project # 0507/1-KJ-1 Date 7/11/05 Client She// | |
|---|--|
| Site 23387 Pacific Coast Hwy, Malibu | |

| | | T | T | Thickness | Volume of | | <u> </u> | | |
|--|-------|---------------|------------|--|-------------|---|----------------|--|---|
| | Well | | Depth to | of | Immiscibles | | | | |
| | Size | Sheen / | Immiscible | | | Depth to water | Dameila da 11 | Survey | |
| Well ID | (in.) | Odor | | Liquid (ft.) | (ml) | . (ft.) | | | |
| | | - | | Diquiti (zt.) | (1111) | 1. (11.) | bottom (ft.) | or TOC | |
| MW-3 | 4" | | | | | 10.81 | 33.62 | toc | |
| MW-3 MW-5 MW-6 | 4" | | | | | 1 | | | |
| | 11/1 | | | | | V - / - | | | |
| MW-6 | 17 | | | | | 6.04 | 29.84 23.86 | | |
| in the second se | | | | | | | | • | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | £., | · | | | *************************************** | | | |
| | ` | | | | | | | - | |
| | | | | | | | | T) Property | - |
| | | | | | | | - | | |
| | | | | | | | | | |
| | | | | | <u>-</u> | | | | |
| | | | | | | | | | |
| The state of the s | | | | The second secon | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 30 | | | | | | | | AS A SAME PARTY OF THE PARTY OF | |
| | | | | | | | | | |
| <u> </u> | | 1 | <u></u> | | | | | | 1 |

Blaine Tech Services, Inc. 1680 Rogers Ave., San Jose, CA 95112 (800) 545-7558

SHELL WELL MONITORING DATA SHEET

| BTS #: 0 | 507/1. | -KJ- | <u>) </u> | Site: 2 | 3387 | PCH, Mali | Ka |
|--------------------------|---|----------------------|--|--------------------------------------|----------------|-----------------------|---|
| Sampler: | | | | Date: 4 | 7/11 | 105 | |
| Well I.D.: | 11W-3 | | | Well Di | iameter | : 2 3 (4) | 6 8 |
| Total Well | | <u>)): 33.</u> | .62 | Depth to | o Water | r (DTW): /O, | 81 |
| Depth to Fr | | | | | | ree Product (fee | |
| Referenced | to: | PVC) | Grade | D.O. Me | eter (if | req'd): | YSI HACH |
| DTW with | 80% Rech | arge [(H | Height of Water | Column | x 0.20) |) + DTW]: 15. | 37 |
| Purge Method: | Bailer Disposable B Positive Air I Electric Subn | sailer Displaceme | | Waterra Peristaltic ction Pump | Vell Diamete | Sampling Method: | : Bailer Disposable Bailer Extraction Port Dedicated Tubing |
| 14.8 (e 1 Case Volume | Gals.) X Speci | ろ ified Volum | | Gals. | 1" 2" 3" | 0.04 4" 0.16 6" | 0.65 1.47 |
| Time | Temp (°F) | pН | Cond. (mS or (uS) | Turbi (NT) | ~ 1 | Gals. Removed | Observations |
| 842 | 71.6 | 6.9 | 1618 | 76 | 5 | 15 | |
| 847 | 71.3 | 7.0 | 1607 | 25 | 2 | 30 | |
| 852 | 7/./ | 7.0 | 1612 | | | 45 | |
| | | | | | | | |
| Did well de | water? | Yes (| No) | Gallons | actually | y evacuated: <i>4</i> | 45 |
| Sampling D | rate: 7/11 | 105 | Sampling Time | a: //2 | 7 | Depth to Water | r: 10.82 |
| Sample I.D. | · MW- | 3 | | Laborate | , | | ımbia Other |
| Analyzed fo | or: TPH-G | BTEX | MTBE TPH-D | Oxygenate | es (5) | The Sec 50 | on |
| EB I.D. (if a | applicable) | , , | @ Time | Duplicat | te I.D. (| (if applicable): | |
| Analyzed fo | or: TPH-G | BTEX | MTBE TPH-D | Oxygenate | es (5) | Other: | |
| D.O. (if req' | d): Pr | re-purge: | | mg/L | Po | ost-purge: | mg/ _L |
| O.R.P. (if re | eq'd): Pr | e-purge: | | mV | Po | ost-purge: | mV |

SHELL WELL MONITORING DATA SHEET

| 1 | | | | | | |
|--------------------------|--|---------------------|--|---|---------------------------------|---|
| BTS #: 02 | 50711- | KJ-1 | 1 | Site: 2338 | 7 PCH, ANI | ibu |
| Sampler: | K.J. | | ************************************** | Date: 7/11/ | 05 | |
| Well I.D.: | MW-5 | | | Well Diameter | r: 2 3 (4) |) 6 8 |
| Total Well | Depth (TD |)): <u>29</u> | .84 | Depth to Wate | er (DTW): | 79 |
| Depth to Fr | | t: | | Thickness of I | Free Product (fe | eet): |
| Referenced | to: | (PVO) | Grade | D.O. Meter (if | req'd): | YSI HACH |
| DTW with | 80% Rech | arge [(F | Height of Water | Column x 0.20 |)) + DTW]: /3 | 1-16 |
| Purge Method: | Bailer Disposable B Positive Air I Electric Subm | ailer Displaceme | | Waterra Peristaltic ction Pump Well Diamet | Sampling Method Other: | l: Bailer Disposable Bailer Extraction Port Dedicated Tubing |
| 13.6 ((1 Case Volume | Gals.) X Speci | 3 fied Volum | | | 0.04 4" 0.16 6" 0.37 Othe | 0.65 1.47 |
| Time | Temp (°F) | .pH | Cond. (mS or/µS) | Turbidity (NTUs) | Gals. Removed | Observations |
| 936 | 71.0 | 7./ | 1895 | 93 | 14 | |
| 940 | 70.7 | 7.1 | 1899 | 24 | 28 | |
| 944 | 70.7 | 7.1 | 1901 | 12 | 41 | |
| | | - | | | | |
| 100 | The state of the s | | | | | |
| Did well dev | water? | Yes (| No | Gallons actual! | ly evacuated: 2 | 41 |
| Sampling D | ate: 7/11 | 105 | Sampling Time | 3:1210 | Depth to Wate | T: 9-09 |
| Sample I.D. | : MW- | -5 | | Laboratory: | 18 | umbia Other |
| Analyzed fo | or: TPH-G | BTEX | MTBE TPH-D | Oxygenates (5) | Other: See 5 | 7011/ |
| EB I.D. (if a | .pplicable) | * 5 | @ . | Duplicate I.D. | (if applicable): | |
| Analyzed fo | r: TPH-G | BTEX | **** | Oxygenates (5) | Other: | |
| D.O. (if req'o | d): Pr | e-purge: | | mg/ _L P | ost-purge: | mg/ _L |
| O.R.P. (if re | q'd): Pro | e-purge: | | mV P | ost-purge: | mV |

SHELL WELL MONITORING DATA SHEET

| BTS #: 0 | 50711- | - <i>KJ</i> - | -/ | Site: 2338 | 7 PCHMal | liba |
|------------------------|--|--|-----------------------------|---|---------------------------------|--|
| Sampler: | K.J. | ~~~ | | Date: 7/11 | 105 | |
| Well I.D.: | NW-6 | ······································ | | Well Diameter | : 2 3 (4) | 68 |
| Total Well | Depth (TI |)): <u>23</u> . | .86 | Depth to Wate | r (DTW): 6. | 04 |
| Depth to Fr | ee Produc | t: | | i | ree Product (fe | |
| Referenced | to: | (PVC) | Grade | D.O. Meter (if | req'd): | YSI HACH |
| DTW with | 80% Rech | arge [(E | leight of Water | Column x 0.20 | | |
| Purge Method: | Bailer Disposable B Positive Air I Electric Subr | sailer Displaceme | | Waterra Peristaltic ction Pump | Sampling Method Other | Bailer Dispo sable Bailer Extraction Port Dedicated Tubing |
| 11,6 (1) 1 Case Volume | Gals.) XSpeci | 3 ified Volun | = 34.8 nes Calculated Vo | Gals. 1" | 0.04 4" 0.16 6" 0.37 Othe | 0.65 1.47 |
| Time | Temp (°F) | pН | Cond. (mS or (µS)) | Turbidity (NTUs) | Gals. Removed | Observations |
| 906 | 70,8 | 7.1 | 1940 | 107 | 12 | |
| 910 | 71.2 | 7.1 | 1887 | 92 | 24 | |
| 914 | 71.0 | 7.0 | 1853 | 26 | 36 | |
| | | | | *************************************** | | |
| | | | | | | |
| Did well de | water? | Yes (| No) | Gallons actuall | y evacuated: 5 | 6 |
| Sampling D | ate: 7/11 | 05 | Sampling Time | e: 1147 | Depth to Wate | r:6-12 |
| Sample I.D. | : MW-E | <u> </u> | | Laboratory: | Ca Science Colu | imbia Other |
| Analyzed fo | or: TPH-G | BTEX | MTBE TPH-D | Oxygenates (5) | Ther See 5 | OW |
| EB I.D. (if a | ipplicable) | l . | @ Time | Duplicate I.D. | | |
| Analyzed fo | or: TPH-G | BTEX | MTBE TPH-D | Oxygenates (5) | Other: | The state of the s |
| D.O. (if req' | d): Pr | e-purge: | | mg/L P | ost-purge: | mg/L |
| O.R.P. (if re | q'd): Pr | e-purge: | | mV P | ost-purge: | mV |

| | WE | ELLHEAD | INSPE | CTION | CHECKI | -IST | Page or | . / |
|--------------|--|---------------------------------|---|---|--|---|---|---|
| Client | / | | | | Date | 7/11 | 105 | |
| Site Address | 3387 Pc | icific (| 2005+ | Ann. | Malil | | / | *************************************** |
| Client | 50711-K | 5-) | | Tech | nician | K.T | | |
| Well ID | Well inspected - No Corrective Action Required | Water Bailed From Wellbox | l 1 | Cap Replaced | Lock Replaced | Other Action Taken (explain below) | Well Not Inspected (explain below) | Repair Order Submitted |
| MW-3 | V | , | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | | |
| MW-5 | i/ | | | | | | | |
| MW-6. | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | <u> </u> | | |
| | | | | | | | | |
| | THE PARTY OF THE P | | | | | | | |
| | | | _ | | | | | |
| | | | | *************************************** | ······································ | · · · · · · · · · · · · · · · · · · · | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| .] | | | | | | | | |
| NOTES: | | | | | | | | |
| | | | | *************************************** | | | | |
| 4444 | | | *************************************** | | | | | |
| | *** | | | | ······································ | | | |
| | | | | | | | | |
| | | | | | | | | |

NO. 646776

NON-HAZARDOUS WASTE DATA FORM

| | | | | SHELL OIL | ic Coast H | NOT REQUIRED | |
|-----------------|---|--|-----------|---|---|---|---|
| | NAME SHELL | OIL PROD | UCTS US | MoSibo | | TWY-) | <u> </u> |
| | ADDRESS 20945 | S. WILMIN | IGTON | *************************************** | | PROFILE NO. 321002-18 | |
| Ę | CITY, STATE, ZIP CARSO | | | | <u>:</u> | PHONE NO | |
| M T | ATTN: }- CONTAINE | eryal | sarraf | VOLUME | 130aa/l | 16n5 | |
| GENERATOR | TYPE: XX TANK | K D DUM | ck 🗆 DRU | MS CARTONS | □ отнея | | |
| λ | WASTE DESCRIPTION _NON | I-HAZARI) WASTE | OUS GROU | NDWATER G | ENERATING PROCES | ss PURGED GROUNDWATER ONENTS OF WASTE PPM % | |
| | 1. WATER | | | 99-100% | | AD# | ~ <i>,</i> |
| 10 BE COMPLETED | 2 <u>TPH</u> | The state of the s | | <1% | 6IN | NCIDENT# Hwys Matibel | # |
| Э Ш | 3 | | **** | | 7BI | esi# | |
| / <u>2</u> | 4 | * | | November 1 | 8 | | |
| | PROPERTIES: pH4=10 | solid | XX riguid | ☐ srnbæ [| SLURRY [| | - |
| | HANDLING INSTRUCTIONS: | 24- | HOUR EME | RGENCY PHON | E (800) 424 | -9300 | - |
| | THE GENERATOR CEP WASTE AS DESCR NON-HAZARDOUS. | ITIFIES THAT IBED IS 10 | THE 0% | eith Jack | 50N | -dula- | |
| | | | TYPE | D OR PERITED FULL NAM | | (On behalf of SOP US) 7/1/65 | |
| EB | NAME NIETO A | ND SONS | TRUCKING | FIRST TRANS | | EPA I.D. NO. | |
| ОН | ADDRESS 1281 BB | EA CANY | ON ROAD | Blaine Tech Ser | | SERVICE ORDER NO. | |
| TRANSPORTER | CITY, STATE, ZIP BREA, C | ALIFORNI | A 92821 | 20735 Beleha Careon, Cr | 90746 | PICK UP DATE | |
| Ë | PHONE NO. (714) 99 | 20-6855 | | (310) 885 | 4455 | | |
| | TRUCK, UNIT, I.D. NO. | | TYPE | OR PRINTED FULL NAM | E & SIGNATURE | DATE | |
| | NAMED/K ENV | TRONMEN | TAL | | | EPA I.D. NO. DISPOSAL METHOD | |
| | ADDRESS 3650 E. | 26 TH STRI | | | | ☐ LANDFILL ☐ OTHER | |
| | CITY, STATE, ZIP LOS ANG | ELES, CA | 90023 | | *************************************** | | |
| TSD FACILITY | PHONE NO(323) 26 | 8-5056 | - | | | | |
| Z. | | | | | | | |
| <u> </u> | | · | IYPEL | OR PRINTED FULL NAM | E & SIGNATURE | OATE | |
| | GEN | OFDINEM | L A | TONS | | | ************** |
| | TRANS | | S B | | | | *************************************** |
| | cıa | | RT/CD | NONE | DISCREPANCY | | *************************************** |





July 19, 2005

Nick Sudano Blaine Tech Services, Inc. 20735 Belshaw Avenue Carson, CA 90746-3509

Subject:

Calscience Work Order No.:

05-07-0498

Client Reference:

23387 Pacific Coast Highway, Malibu, CA

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 7/11/2005 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Assurance Program Manual, applicable standard operating procedures, and other related documentation. The original report of any subcontracted analysis is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

Calscience Environmental Laboratories, Inc.

Don Burley **Project Manager**





LABORATORY ID: 05-07-0498

Method: SM 4500 N OrgB

Matrix: Water/Aqueous

CLIENT: Blaine Tech Services, Inc.

PROJECT: 23387 Pacific Coast Highway, Malibu, CA


| Results Sample ID Organic Nitrogen Dilution Date | | | | | | | | |
|--|--------------------|---|--|--|--|--|--|--|
| Organic Nitrogen | Dilution | Date | | | | | | |
| (mg/L) | Factor | Analyzed | | | | | | |
| ND | 1 | 07/15/05 | | | | | | |
| ND | 1 | 07/15/05 | | | | | | |
| ND | 1 | 07/15/05 | | | | | | |
| | (mg/L) ND ND | (mg/L) Factor ND 1 ND 1 | | | | | | |

Reporting Limit: 0.50

| Laboratory Control Spike Sample: | | nd Control Informa | tion | |
|----------------------------------|--------|--------------------|------|---------|
| Batch ID: | | | | |
| 50715OND1 | Sample | Duplicate | RPD | Control |
| | Conc. | Conc. | (%) | Limits |
| Organic Nitrogen | ND | ND | K1 A | 0.25 |
| Organic Nitrogen | ND | ND | NA | 0-25 |

Laboratory Notes

Key: Rec=Recovery, ND=Not Detected at the reporting level





Blaine Tech Services, Inc 20735 Belshaw Avenue Carson, CA 90746-3509 Date Received:

lor No:

07/11/05

Work Order No: Preparation:

05-07-0498 EPA 3010A Total

Method:

EDA AN10R

EPA 6010B

Project: 23387 Pacific Coast Highway, Malibu, CA


Page 1 of 1

| Client Sample Number | | Lab Sample Number | Date Collected | Matrix | Date Prepared | Date Analyzed | QC Batch ID |
|----------------------|--------|----------------------|-------------------|---------|------------------|------------------|-------------|
| MW-3 | | 05-07-0498-1 | 07/11/05 | Aqueous | 07/12/05 | 07/13/05 | 050712L05 |
| <u>Parameter</u> | Result | <u>RL</u> | <u>DF</u> | Qual | <u>Units</u> | | |
| Boron | 0.414 | 0.020 | 1 | | mg/L | | |
| MW-5 | | 05-07-0498-2 | 07/11/05 | Aqueous | 07/12/05 | 07/13/05 | 050712L05 |
| <u>Parameter</u> | Result | <u>RL</u> | <u>DF</u> | Qual | <u>Units</u> | | |
| Boron | 0.452 | 0.020 | 1 | | mg/L | | |
| MW-6 | | 05-07-0498-3 | 07/11/05 | Aqueous | 07/12/05 | 07/13/05 | 050712L05 |
| <u>Parameter</u> | Result | <u>RL</u> | <u>DF</u> | Qual | <u>Units</u> | | |
| Boron | 0.374 | 0.020 | 1 | | mg/L | | |
| Method Blank | | 097-01-003-5,101 | N/A | Aqueous | 07/12/05 | 07/13/05 | 050712L05 |
| <u>Parameter</u> | Result | RL | <u>DF</u> | Qual | <u>Units</u> | | |
| Boron | ND | 0.0200 | 1 | | mg/L | | |

RL - Reporting Limit ,

DF - Dilution Factor

Qual - Qualifiers





Blaine Tech Services, Inc 20735 Belshaw Avenue Carson, CA 90746-3509

Date Received:

07/11/05

Work Order No:

05-07-0498

Project: 23387 Pacific Coast Highway, Malibu, CA


Page 1 of 2


| | i nh C | amala Nive | shor D- | 4.0 | | | |
|---------------------------------------|--|-------------|------------------|-------------------------|--|---|---|
| | ran 2 | ample Num | | | Matrix | | |
| | 05-0 | 7-0498-1 | 07/1 | 1/05 A | queous | | |
| | | | | | | | |
| Result | <u>RL</u> | <u>DF</u> | Qual | Units | Date Prepared | Date Analyzed | Method |
| 1200 | 10 | 1 | | mg/L | N/A | 07/12/05 | EPA 160.1 |
| | | | | | | 07/11/05 | EPA 300.0 |
| | | | | | | | EPA 300.0 |
| | | | | | | | EPA 300.0 |
| | | | | | | | EPA 300.0 |
| U.14 | 0.10 | 1 | | mg/L | N/A | 07/13/05 | EPA 350.2 |
| | 05-0 | 7-0498-2 | 07/1 | 1/05 A | queous | | |
| · · · · · · · · · · · · · · · · · · · | | | | | | | |
| Result | RL | <u>DF</u> | <u>Qual</u> | <u>Units</u> | Date Prepared | Date Analyzed | Method |
| 1200 | 10 | 1 | | mg/L | N/A | 07/12/05 | EPA 160.1 |
| 140 | | | | mg/L | | | EPA 300.0 |
| | | | | | | | EPA 300.0 |
| | | | | | | | EPA 300.0 |
| | | | | | | | EPA 300.0 |
| ND | 0.10 | 1 | | mg/L | N/A | 07/13/05 | EPA 350.2 |
| | 05-0 | 7-0498-3 | 07/1 | 1/05 A | queous | | |
| | | | | | | | |
| Result | RL | <u>DF</u> | Qual | <u>Units</u> | Date Prepared | Date Analyzed | Method |
| 1300 | 10 | 1 | | ma/l | N/A | 07/12/05 | EPA 160.1 |
| | | | | | | | EPA 300.0 |
| | | | | | | | EPA 300.0 |
| | | | | | | | EPA 300.0 |
| 240 | 50 | 50 | | | N/A | | |
| 240 | 5U | 500 | | mg/L | IN/A | 07/11/05 | EPA 300.0 |
| | 1200 130 ND ND 380 0.14 Result 1200 140 ND 1.7 420 ND ND Result 1300 240 ND 27 | Result RL | Result RL DF | Result RL DF Qual | Result RL DF Qual Units 1200 10 1 mg/L 130 50 50 mg/L ND 0.10 1 mg/L 380 50 50 mg/L 0.14 0.10 1 mg/L 0.14 0.10 1 mg/L 140 50 50 mg/L ND 0.10 1 mg/L 1.7 0.1 1 mg/L 1.7 0.1 1 mg/L 1.7 0.1 1 mg/L 420 50 50 mg/L ND 0.10 1 mg/L 1.7 1.7 0.10 1 mg/L 1.7 1.7 0.10 1 mg/L 1.7 | Result RL DF Qual Units Date Prepared | Result RL DF Qual Units Date Prepared Date Analyzed |

RL - Reporting Limit ,

DF - Dilution Factor ,

Qual - Qualifiers





Blaine Tech Services, Inc 20735 Belshaw Avenue Carson, CA 90746-3509 Date Received:

07/11/05


Work Order No:

05-07-0498

Project: 23387 Pacific Coast Highway, Malibu, CA


Page 2 of 2

| Client Sample Number | | Lab S | Sample Nui | mber Da Colle | | Matrix | | |
|----------------------------------|----------|--------------|------------|------------------|--------------|---------------|----------------------|------------------------|
| Method Blank | | | | N. | A A | queous | | |
| <u>Parameter</u> | Result | <u>RL</u> | <u>DF</u> | Qual | <u>Units</u> | Date Prepared | Date Analyzed | Method |
| Chloride | ND | 1.0 | 1 | | mg/L | N/A | 07/11/05 | EPA 300.0 |
| Vitrite (as N) Vitrate (as N) | ND ND | 0.10 0.10 | 1 1 | • | mg/L mg/L | N/A N/A | 07/11/05 07/11/05 | EPA 300.0 EPA 300.0 |
| Sulfate Ammonia | ND ND | 1.0 0.10 | 1 1 | | mg/L mg/L | N/A N/A | 07/11/05 07/13/05 | EPA 300.0 EPA 350.2 |



DF - Dilution Factor

Qual - Qualifiers





Quality Control - Spike/Spike Duplicate

Blaine Tech Services, Inc 20735 Belshaw Avenue Carson, CA 90746-3509 Date Received: Work Order No: Preparation:

07/11/05 05-07-0498 EPA 3010A Total

Method:

EPA 6010B

Project 23387 Pacific Coast Highway, Malibu, CA

| Quality Control Sample ID | Matrix | Instrument | Date Prepared | | Date Analyzed | MS/MSD Batch Number |
|---------------------------|---------|------------|------------------|-----|------------------|------------------------|
| 05-07-0549-1 | Aqueous | ICP 3300 | 07/12/05 | | 07/13/05 | 050712805 |
| <u>Parameter</u> | MS %REC | MSD %REC | %REC CL | RPD | RPD CL | Qualifiers |
| Boron | 102 | 102 | 80-120 | 0 | 0-20 | |





Quality Control - Spike/Spike Duplicate

aboratories, Inc.

Blaine Tech Services, Inc. 20735 Belshaw Avenue Carson, CA 90746-3509

Date Received: Work Order No:

N/A 05-07-0498

Project: 23387 Pacific Coast Highway, Malibu, CA

| Matrix: Aqueou | S | | | | | | | | | |
|------------------|---------------|------------------------------|--------------------------------|--------------------------|------------|--------------|------------|-----|-----------|------------|
| <u>Parameter</u> | <u>Method</u> | Quality Control Sample ID | <u>Date</u> <u>Analyzed</u> | <u>Date</u> Extracted | MS% REC | MSD % REC | %REC CL | RPD | RPD CL | Qualifiers |
| Chloride | EPA 300.0 | MW-3 | 07/11/05 | N/A | 97 | 96 | 56-134 | 0 | 0-3 | |
| Nitrite (as N) | EPA 300.0 | MW-3 | 07/11/05 | N/A | 96 | 98 | 68-122 | 2 | 0-8 | |
| Nitrate (as N) | EPA 300.0 | MW-3 | 07/11/05 | N/A | 102 | 102 | 58-142 | 0 | 0-6 | |
| Sulfate | EPA 300.0 | MW-3 | 07/11/05 | N/A | 107 | 108 | 49-133 | 0 | 0-3 | |





Quality Control - Duplicate

Blaine Tech Services, Inc 20735 Belshaw Avenue Carson, CA 90746-3509 Date Received:

N/A

Work Order No:

05-07-0498

Project: 23387 Pacific Coast Highway, Malibu, CA

| Matrix: Aqueous | | | | | | | | |
|-------------------------|-----------|--------------|---------------|-------------|----------|-----|--------|------------|
| <u>Parameter</u> | Method | QC Sample ID | Date Analyzed | Sample Conc | DUP Conc | RPD | RPD CL | Qualifiers |
| Ammonia | EPA 350.2 | 05-07-0410-1 | 07/13/05 | ND | ND | NA | 0-25 | |
| Total Kjeldahl Nitrogen | EPA 351.3 | 05-07-0360-4 | 07/15/05 | 0.70 | 0.70 | 0 | 0-25 | |
| Solids, Total Dissolved | EPA 160.1 | 05-07-0297-1 | 07/12/05 | 1000 | 1100 | 4 | 0-25 | |



nvironmental Quality Control - Laboratory Control Sample aboratories, Inc.

Blaine Tech Services, Inc 20735 Belshaw Avenue Carson, CA 90746-3509 Date Received:

N/A

Work Order No:

05-07-0498

Preparation:

EPA 3010A Total

Method:

EPA 6010B

Project: 23387 Pacific Coast Highway, Malibu, CA

| Quality Control Sample ID | Matrix | Instrument | Date Analyzed | Lab File ID | LC | CS Batch Number |
|---------------------------|---------|------------|----------------|-------------|---------|-----------------|
| 097-01-003-5,101 | Aqueous | ICP 3300 | 07/13/05 | 050712-1-05 | | 050712L05 |
| <u>Parameter</u> | | Conc Added | Conc Recovered | LCS %Rec | %Rec CL | Qualifiers |
| Boron | | 0.500 | 0.497 | 99 | 80-120 | |

RPD-Rela



Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc. 20735 Belshaw Avenue

Date Received:

N/A 05-07-0498

Carson, CA 90746-3509

Work Order No:

Project: 23387 Pacific Coast Highway, Malibu, CA

| Matrix: Aqueou | S | | | | | | | | | |
|----------------|-----------|-------------------------------------|--------------------------|-------------------------|--------------|---------------|-------------------|-----|-----------|------|
| Parameter | Method | <u>Quality Control</u> Sample ID | <u>Date</u> Extracted | <u>Date</u> Analyzed | LCS % REC | LCSD % REC | <u>%REC</u> CL | RPD | RPD CL | Qual |
| Chloride | EPA 300.0 | 099-05-118-2,845 | N/A | 07/11/05 | 98 | 95 | 81-111 | 3 | 0-5 | |
| Nitrite (as N) | EPA 300.0 | 099-05-118-2,845 | N/A | 07/11/05 | 96 | 96 | 73-115 | 1 | 0-26 | |
| Nitrate (as N) | EPA 300.0 | 099-05-118-2,845 | N/A | 07/11/05 | 97 | 98 | 87-111 | 1 | 0-12 | |
| Sulfate | EPA 300.0 | 099-05-118-2,845 | N/A | 07/11/05 | 96 | 96 | 89-107 | 0 | 0-13 | |





Glossary of Terms and Qualifiers

Work Order Number: 05-07-0498

| Qualifier | <u>Definition</u> |
|-----------|---|
| * | See applicable analysis comment. |
| 1 | Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification. |
| 2 | Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification. |
| 3 | Recovery of the Matrix Spike or Matrix Spike Duplicate compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification. |
| 4 | The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification. |
| 5 | The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required. |
| Α | Result is the average of all dilutions, as defined by the method. |
| В | Analyte was present in the associated method blank. |
| С | Analyte presence was not confirmed on primary column. |
| <u> </u> | Concentration exceeds the calibration range. |
| H | Sample received and/or analyzed past the recommended holding time. |
| J | Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated. |
| N | Nontarget Analyte. |
| ND | Parameter not detected at the indicated reporting limit. |
| Q | Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater. |
| U | Undetected at the laboratory method detection limit. |
| Χ | % Recovery and/or RPD out-of-range. |
| Z | Analyte presence was not confirmed by second column or GC/MS analysis. |

LAB: Calscience

Page 12 of 15 Container/Preservative or PID Readings or Laboratory Notes 050711-K5-1 BTS# EMPERATURE ON RECEIPT CO FIELD NOTES: 名ものよっている 300 J DATE PAGE LAB USE ONLY SAP of CRMT NUMBER (TS/CRMT) tbalsitis@wpinc.com INCIDENT NUMBER (S&E ONLY) T0603792899 Ó SHELL Chain Of Custody Record REQUESTED ANALYSIS ___ O2) __ 714-826-0352 вогои 23387 Pacific Coast Highway, Malibu はり Chloride entrate Organic Mitrogen Nitrite as Mitrogen Nitrate as Nitrogen Ammonia as Mitrogen SITE ADDRESS (Street and City) Feryal Sarrafian Fotal Dissolved Solids Truedi Balsitis samen namesi (min): Shell Project Manager to be invoiced: " mioliloO latoT ** mioilloO laceT *No report submission to Blaine Tech Services required
**FECAL COLIFORM, TOTAL COLIFORM AND ENTEROCOCCUS MUST HAVE
DETECTION LIMITS OF LESS THAN 1 MPN/100ml OR LOWER No. of CONT. ☐ 24 HOURS ☐ LESS THAN 24 HOURS емяц: nsudano@blainetech.com ¥ SCIENCE & ENGINEERING MATRIX ☐ TECHNICAL SERVICES □ cRMT HOUSTON: 120 111/05/1127 HIGHEST per BORING. DATE TIME SAMPLING BTST DISTREDITION: White with final report, Green to File, Yellow and Pink to Client X 10 DAYS S S DAYS S 72 HOURS 148 HOURS 20735 Belshaw Avenue, Carson, CA 90746 Field Sample Identification 🔲 LA - RWQCB REPORT FORMAT 🔲 UST AGENCY; 310-637-5802 SPECIAL INSTRUCTIONS OR NOTES: GC/MS MTBE CONFIRMATION: HIGHEST TIME (BUSINESS DAYS): PROJECT CONTACT (Hardsapy or POF Report to). クークレン 135 Lab Identification (if necessary): Blaine Tech Services, Inc. sed by: (Signature) City, State, Zip; Nick Sudano 310-885-4455 Address: 8 2 E



WORK ORDER #:

05-07-0498

Cooler _____ of ____

SAMPLE RECEIPT FORM

| CLIENT: BLAINE - + ECH | DATE: 07-11-05 |
|--|---|
| TEMPERATURE - SAMPLES RECEIVED BY: | |
| CALSCIENCE COURIER: Chilled, cooler with temperature blank provided. Chilled, cooler without temperature blank. Chilled and placed in cooler with wet ice. Ambient and placed in cooler with wet ice. Ambient temperature. | LABORATORY (Other than Calscience Courier): °C Temperature blank. °C IR thermometer. Ambient temperature. |
| 3,2°C Temperature blank. | Initial: |
| CUSTODY SEAL INTACT: | |
| Sample(s): Cooler: No (Not Intact) | : Not Applicable (N/A): Initial: |
| SAMPLE CONDITION: | |
| Chain-Of-Custody document(s) received with samples. Sample container label(s) consistent with custody papers. Sample container(s) intact and good condition. Correct containers for analyses requested. Proper preservation noted on sample label(s). VOA vial(s) free of headspace. Tedlar bag(s) free of condensation. | |
| COMMENTS: | |
| | |
| | |



SILLIKER, Inc.Southern California Laboratory

6360 Gateway Drive Cypress, CA 90630 714/ 226-0000 Fax 714/ 226-0009

CERTIFICATE OF ANALYSIS

| COA No: | SCA-30744833-0 |
|-------------|----------------|
| Supersedes: | None |
| COA Date | 7/15/05 |
| Page 1 of 1 | |

TO:

Mr. Don L. Burley Project Manager Calscience Environmental Laboratories 7440 Lincoln Way Garden Grove, CA 92841-1432

| Received From: | Garden Grove, CA |
|----------------|--------------------------|
| Received Date: | 7/11/05 |
| P.O.# / ID: | 05-07-0498 |
| | st: (except where noted) |

| | | Analy | tical Results | |
|------------------|-----------------|----------|---------------------|----------------------------------|
| Desc. 1: | Sample ID: MW-3 | Desc. 4: | Matrix:W | Laboratory ID: 304180115 |
| Desc. 2: | Date: 7/11/05 | Desc. 5: | Project #:05-07-049 | Ondition Rec'd: NORMAL |
| Desc. 3: | Time:11:27 | | | Temp Rec'd (°C): 7.0 |
| <u>Analyte</u> | | | Result Units | Method Reference Test Date Loc. |
| Coliforms - 10X1 | I0 ml MPN | | <1.1 /100mL | SMEWW 20th, 9221A-D 7/13/05 |
| Enterococci - 10 | X10 ml MPN | | 1.1 /100mL | SMEWW, 19th ed. 7/14/05 |
| Fecal Coliforms- | 10X10 ml MPN | | <1.1 /100mL | SMEWW 19th ed 9221 E 7/13/05 |
| Desc. 1: | Sample ID: MW-5 | Desc. 4: | Matrix:W | Laboratory ID: 304180118 |
| Desc. 2: | Date: 7/11/05 | Desc. 5: | Project #:05-07-049 | Condition Rec'd: NORMAL |
| Desc. 3: | Time:12:10 | | | Temp Rec'd (°C): 7.0 |
| <u>Analyte</u> | | | Result Units | Method Reference Test Date Loc. |
| Coliforms - 10X1 | IO ml MPN | | >23.0 /100mL | SMEWW 20th, 9221A-D 7/15/05 |
| Enterococci - 10 | X10 ml MPN | | <1.1 /100mL | SMEWW, 19th ed. 7/14/05 |
| Fecal Coliforms- | 10X10 ml MPN | | 6.9 /100mL | SMEWW 19th ed 9221 E 7/15/05 |
| Desc. 1: | Sample ID: MW-6 | Desc. 4: | Matrix:W | Laboratory ID: 304180122 |
| Desc. 2: | Date: 7/11/05 | Desc. 5: | Project #:05-07-049 | OS Condition Rec'd: NORMAL |
| Desc. 3: | Time:11:47 | | | Temp Rec'd (°C): 7.0 |
| <u>Analyte</u> | | | Result Units | Method Reference Test Date Loc. |
| Coliforms - 10X1 | 0 ml MPN | | >23.0 /100mL | SMEWW 20th, 9221A-D 7/15/05 |
| Enterococci - 10 | X10 ml MPN | | <1.1 /100mL | SMEVW, 19th ed. 7/14/05 |
| Fecal Coliforms- | 10X10 ml MPN | | 1.1 /100mL | SMEWW 19th ed 9221 E 7/15/05 |

COA Comment:

A Coliform Count of <1.1/100ml, Absent/100ml, and a Heterotrophic Plate Count of <500/ml is in compliance with the State of California and the U.S. Public Health Services regulations for potable water. Method Reference: SMEWW

Vidhya Gonga Vidhya Gangar, NJS. Caboratory Director

| S | CALSCIENCE ENVIRONMENTAL | SCIENCE ENVIRONMENT | ITAL | | | , | | | | | | Œ, | CHAIN OF | _ | UST | Ago | CUSTODY RECORD | O.H. | _ |
|--------------|---|--|------------------------|--|---|-----------------|-------------|--|---|-----------|---------------------|----------|--------------------------|-------------|--------------------------|------------|--|---------|---|
| | 7440 LINC | 7440 LINCOLN WAY | | \ | Ċ | 1 | تز · | , - | | | 1 | Date_ | | , | | 9 | | | 1 |
| り | GARDEN GROVE, CA 92841-1427 JEL: (714) 895-5494 • FAX: (714) 894-7503 | GARDEN GROVE, CA 92841-1427 : (714) 895-5494 • FAX: (714) 894-7 | 7503/ | | , | | _ | | I | <u> </u> | | Page | | - | | of | | | 1 1 |
| LABC | LABORATORY CLIENT: | | | | | | CLIEN | E PROPERTOR | CLIENT PROJECT NAME / NUMBER | NOW L | | 0 | | O. q. | P.O. NO.: | | | | r |
| ADDRESS | RESS. | | | The state of the s | | | PROJECT | | CONTACT: | 1 |) } | 9 | | E | S USE ONLY | NILY | ************************************** | - | |
| Z∐S | | <i>b</i> | STATE | | *************************************** | ZIP | | | 5 | M | 123 | le c | | | | | | | |
| TEL: | ************************************** | FAX: | | E-MAIL: | | | SAMP | ;; (S);; (S) | SAMPLEH(S); (SIGNATURE) | £ | | | | 8 1 | COOLER RECEIPT TEMP = | (ECEIP | } | ပ္ပ | |
| ğΠ | TURNAROUND TIME: | IHR D48 HR | ☐ 72 HR | ☐ 5 DAYS | ☐ 10 DAYS | YS | | | | REQUESTED | JEST | LED | ANA | ANALYSES | ES | | | | 1 |
| SPEC | SPECIAL REQUIREMENTS (ADDITIONAL COSTS MAY APPLY) RWQCB REPORTING FORMS COELT EDF | DITIONAL COSTS MAY FORMS COE | STS MAY APPLY) | | | Proceedings | | *************************************** | *************************************** | | | | | | | tuxo | 5 | | r |
| SPEC | * FPCA COLFUS INTO COLFUS CALLOS | Tohn Collisions | 1 Loss 8 | | 40.00 | | | 01 | (8 | | | | | |),[| 7:10 | רכוזי | | |
| 7 | detection limits of less than I MPN/100ml or lower. | softes tha | min mpw/ | loomi or | lower. |) (V) | | (80928) BE | TES (8260 | SE PREP | | | ETALS (601) OOT(8270C | OT) 10 (A41 | (M8-C | クド TW | (2)(2) | | *************************************** |
| 2 38 38 5 | CL E JONES | | FIELD POINT NAME | SAMPLING | | | H (G) ot | · | C≥ (856) (YGENA | 32 ENCC | OCs (82 ST (808) | .808) sB | | | H(G) (T | 101 101 | atu: | | |
| ONEY | | | (FOR COELT EDF) | DATE | TIME | 3 | | | | 209 | - 1 | - 1 | 1 | | lqT ÿ | _ | 1 | | |
| | MW-3 | | | 7 E.K | W LEII | | | | | | | | | | ^ | X | × | | ···· |
| - | N/W-5 | | | 2) | 210 | ൾ | | | | | | | | | <u>×</u> | X | · × | | |
| 1 |)-MW | 0 | | = -A | | ત | | | | | | | | | X | メ | X | | |
| | | | | | - | | | | | | | | | | | | | | |
| | - Lindowskipped | | WWW.4444444 | | | | | | | | | | | | | | | | |
| | | and the state of t | | | | | | | | | | | | | | | | | |
| | *************************************** | To the state of th | | | *************************************** | | | | | | | | | | | | | | |
| | TF ANT TO ANALOGO AND ANALOGO | TANK STREET, WAS AND STREET, W | | WAS AND | | | | | | | | | | | | | | | |
| 1 | | | | To the state of th | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | 207 |
| Reli | Relinquished by: (Signature) | (au | | 1~ | Received b | by: (Signature) |) Jensey | 1 | | | | | <u> </u> | Date: | V | Time | ah.j | 77.0 | |
| Rei | Relinquished by: (Signature) | re) | | | Received by: (Signature) | y: (Signati | ure) | | | | | | ٥ | Date: | | Time | | _ | |
| Relir | Relinquished by: (Signature) | re) | | | Received for Laboratory by: (Signature) | or Laborate | ory by: (| Signatu | (e) | | | | ļö — | Date: | | Time: | ie; | | o Gust |
| | | | | | | | | | | | | | - | | | | | | |
| | DISTRIBUTION | DISTRIBUTION: When with final report, Green to file, Yellow to Client. | oort, Green to file, 1 | Yellow to Client. | | | | | | | | | | | | ₽ | 10/20/04 Revision | evision | _ |

DISTRIBUTION: When with final report, Green to file, Yellow to Client.

Please note that pages 1 and 2 of 2 of our T/Cs are printed on the reverse side of the Green and Yellow copies respectively.

APPENDIX B

EPD REPORT



Environmental Planning & Design, LLC

411 N. Harbor Blvd, Ste 304, San Pedro, CA 90731 Phone (310) 241.6565 Fax (310) 241.6566

October 11, 2005

California Regional Water Quality Control Board 320 W. 4th Street, Suite 200 Los Angeles, CA 90013 (213)576-6600 FAX (213)576-6640

Attn: Information Technology Unit

3rd QUARTER 2005 QUARTERLY REPORT JULY -- SEPTEMBER

MONITORING AND REPORTING PROGRAM NO. CI-8513
CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
LOS ANGELES REGION

EQUILON ENTERPRISES, LLC (Malibu Shell, 23387 Pacific Coast Highway @ Cross Creek Rd.) File No. 01-143 Order No. R4-2002-0198

SECTION II. SEPTIC DISPOSAL SYSTEM EFFLUENT MONITORING REQUIREMENTS

The subject system was put into service on August 20, 2004. Attachments show daily flow for the quarter, and an analysis of effluent sampled September 28.

Per the referenced Order, quarterly reports are required which shall contain the following information in Section II:

1. Average and maximum daily waste flow for each month of the quarter, in gallons per day.

7/1/05 - 7/31/05Average daily waste flow = 363 gallons per day Maximum daily waste flow = 619 gallons per day 8/1/05 - 8/31/05Average daily waste flow = 275 gallons per day Maximum daily waste flow = 437 gallons per day 9/1/05 - 9/30/05Average daily waste flow = 209 gallons per day Maximum daily waste flow = 435 gallons per day

Daily flows are presented in Attachment 1.



Environmental Planning & Design, LLC

2. Estimated population served during each month of the reporting period.

7/1/05 – 7/31/05 Total waste flow = 11,266 gallons @ 5gpd/user = 2253 users 8/1/05 – 8/31/05 Total waste flow = 8538gallons @ 5gpd/user = 1708 users 9/1/05 – 9/30/05 Total waste flow = 6283 gallons @ 5gpd/user = 1256 users

Results of at least monthly observations in the disposal area for any overflow or surfacing of wastes.

The disposal area was observed once every two weeks, minimum, throughout the reporting period. There was never any indication of overflow or surfacing of wastes.

4. Sample Analysis

All constituents tested were within limits in a sample collected on September 28, 2005. The lab analysis report for the September 28 sample is provided as Attachment 2.

| Constituent | Units | Limit | Result |
|------------------------|------------|-------|--------|
| Total flow average | gal/day | | |
| BOD | mg/L | 30 | 11 |
| Total suspended solids | mg/L | 30 | 7 |
| Fecal coliform | MPN/100 mL | 200 | < 2 |
| Enterococcus | MPN/100 mL | 24 | < 10 |
| Residual Chlorine | mg/L | - | < 0.02 |

CERTIFICATION STATEMENT

I certify under penalty of law that this document, including all attachments and supplemental information, was prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of a fine and imprisonment.

Regards,

Kevin/Poffenbarger

Principal

(310) 241-6565 x245

Attachment 1: Flow Data

Attachment 2: PatChem Laboratories 9/28/05 Wastewater Analysis


Attachment 1. Daily Flow

| Date | Gallons | Date | Gallons | Date | Gallons |
|-----------|---------|-----------|---------|-----------|---------|
| 7/1/2005 | 175 | 8/1/2005 | 435 | 9/1/2005 | 172 |
| 7/2/2005 | 261 | 8/2/2005 | 259 | 9/2/2005 | 263 |
| 7/3/2005 | 350 | 8/3/2005 | 261 | 9/3/2005 | 173 |
| 7/4/2005 | 435 | 8/4/2005 | 260 | 9/4/2005 | 261 |
| 7/5/2005 | 530 | 8/5/2005 | 260 | 9/5/2005 | 435 |
| 7/6/2005 | 333 | 8/6/2005 | 262 | 9/6/2005 | 262 |
| 7/7/2005 | 347 | 8/7/2005 | 437 | 9/7/2005 | 173 |
| 7/8/2005 | 259 | 8/8/2005 | 351 | 9/8/2005 | 173 |
| 7/9/2005 | 265 | 8/9/2005 | 259 | 9/9/2005 | 173 |
| 7/10/2005 | 262 | 8/10/2005 | 260 | 9/10/2005 | 89 |
| 7/11/2005 | 352 | 8/11/2005 | 261 | 9/11/2005 | 347 |
| 7/12/2005 | 260 | 8/12/2005 | 260 | 9/12/2005 | 345 |
| 7/13/2005 | 259 | 8/13/2005 | 261 | 9/13/2005 | 174 |
| 7/14/2005 | 175 | 8/14/2005 | 347 | 9/14/2005 | 178 |
| 7/15/2005 | 259 | 8/15/2005 | 433 | 9/15/2005 | 176 |
| 7/16/2005 | 349 | 8/16/2005 | 263 | 9/16/2005 | 179 |
| 7/17/2005 | 347 | 8/17/2005 | 267 | 9/17/2005 | 176 |
| 7/18/2005 | 617 | 8/18/2005 | 260 | 9/18/2005 | 263 |
| 7/19/2005 | 353 | 8/19/2005 | 262 | 9/19/2005 | 262 |
| 7/20/2005 | 360 | 8/20/2005 | 174 | 9/20/2005 | 261 |
| 7/21/2005 | 261 | 8/21/2005 | 351 | 9/21/2005 | 89 |
| 7/22/2005 | 262 | 8/22/2005 | 435 | 9/22/2005 | 174 |
| 7/23/2005 | 261 | 8/23/2005 | 174 | 9/23/2005 | 175 |
| 7/24/2005 | 528 | 8/24/2005 | 262 | 9/24/2005 | 261 |
| 7/25/2005 | 532 | 8/25/2005 | 173 | 9/25/2005 | 177 |
| 7/26/2005 | 458 | 8/26/2005 | 87 | 9/26/2005 | 261 |
| 7/27/2005 | 361 | 8/27/2005 | 261 | 9/27/2005 | 176 |
| 7/28/2005 | 360 | 8/28/2005 | 263 | 9/28/2005 | 173 |
| 7/29/2005 | 545 | 8/29/2005 | 350 | 9/29/2005 | 173 |
| 7/30/2005 | 534 | 8/30/2005 | 263 | 9/30/2005 | 87 |
| 7/31/2005 | 619 | 8/31/2005 | 87 | • | |
| Мах | 619 | Max | 437 | Max | 435 |
| Min | 175 | Min | 87 | Min | 87 |
| Average | 363 | Average | 275 | Average | 209 |
| Total | 11,266 | Total* | 8538 | Total* | 6283 |

Average for quarter =

284 gpd

calculated using 55 gpm



PAT-CHEM LABORATORIES

11990 Discovery Ct. • Moorpark, CA 93021 • Ph. (805) 532-0012 • Fax (805) 532-0016

Customer:

Environmental Planning & Design

Page 1 of 1

411 N Harbor Blvd San Pedro CA, 90731

Attention: Report Date:

Subject:

Kevin Poffenberger 04-Oct-05 05:49 Wastewater Samples Project/P.O.#: Shell

| PARAMETER | METHOD | QC RI BATGH | EPORTING LIMIT | ANALYZED (ANALYST) | MARIO | RESULT | NOTE |
|-------------------------------------|--------------------|----------------|-------------------|-----------------------|---|------------------|------|
| Effluent (Sample I.D.# : 0509482-01 |) Collected: 28-Se | p-05 By L.La | ra Op PCL | • | | | |
| Biochemical Oxygen Demand | EPA 405.1 | AI52916 | 5 | 04-Oct-05 (GA) | | 11 mg/l | |
| Rusidual Chlorne | EPA 330.5 | AI52918 | 0.02 | 29-Sep-05 (CA) | < | 0.02 mg/l | |
| Total Suspended Solics | EPA 160.2 | AI52909 | 5 | 29-Sep-05 (GW) | | 7 mg/l | |
| Enterococcus | SM 9230B | AI52816 | 10.0 | 29-Sep-05 (CW) | ď. | 10.0 MPN/100 mil | |
| Total Coliforms | SM 9221E | AI52816 | 2 | 30-Sep-05 (JV) | * | 2 MPN/100 ml | |
| Facal Coliforms | SM 9221E | AI52816 | 2 | 30-Sep-05 (JV) | « | [m (0)/WCM S | |

Notes and Definitions

DET Analyte DETECTED

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

dry Sample results reported on a dry weight basis

Respectfully Submitted.

Pat Brueckner

10/4/2005

Laboratory Director

| Control of the Contro | | Preservatives Type | A contract of the contract of | * ** ********************************* | · · · · · · · · · · · · · · · · · · · | Assimption management constitution of the cons | · · · · · · · · · · · · · · · · · · · | . La Cardination Control | | . : | and the desired con- | Type. AC = aquedus NA = Nonacobous SL = Sludgo SC = Soil == = Furceum OT = Only Noe Samines at discernd 30 days after results as reported unless other arrangements are made resorted unless others. Will be sturned to cheff, a |
|--|--|--|--|--|---------------------------------------|--|--|--|--|--|--|--|
| Sample I.D.#: | Project Location | According to the control to the cont | | The state of the s | | TO THE PARTY OF TH | | The second secon | 46 | 'amperatio | tritied Flum; Final Flore | No. |
| × RCORD | The state of the s | No. Repuise | | The state of the s | | · Art · · · · · · · · · · · · · · · · · · · | | | Date Time | | | |
| CHAIN OF CUSTODY RECORD Phone (805) 532-0012 Fax (805) 532-0015 | P.C.# Phone r Papar Attention | SAMPLE DESCRIPTION | The second secon | | | | | the state of the s | Company | to anywhere the control of the contr | | Composite Sampler Setup Time |
| 3 | Section 1 | 20. E | | | | and property and the property of the property | The state of the s | | | | AND THE PROPERTY OF THE PROPER | Composite |
| Pat-Chem Laboratories 11990 Discovery Court Moorpark, CA 93021 | and the second | Date Time Comp Sampled or Grah | The second secon | | | - Vina program, marketan de constitución de co | | · andronggrounds.com | THE TAX THE PROPERTY OF THE PR | manufacture of the second | · Confidence Description | Composite Samplér Sonup Date: |
| O S S S | City State, Zip | | 5 | and the second s | Americanic | | | · | Signature | Ranet by | Reference to the Co. | Composite Sal |